

Akiva[®]
ENTERPRISE CO.,LTD.

2016-2017

Akiva[®]



ENTERPRISE CO., LTD

博緯企業有限公司

No.3 Hu Kang Rd., Chang Hua 500, Taiwan R.O.C.

Tel:+886-4-7251200 Fax: +886-4-7247900

E-mail: Peggy9250@livemail.tw akiva.candy@gmail.com

www.akivabike.com

THE PRODUCE MANAGER'S SPECIFICATION GUIDE

CONTENT

- 01** **Seat Clamp**
- 06** **Adjustable Seatpost Cable Guide**
- 07** **Handle Bar Cap / Stem**
- 08** **Quick Releases / Free Style Hub Nut**
- 10** **Bar Ends**
- 12** **Seat Post**
- 14** **Top Cap**
- 15** **Handle Bar / Stem adjuster**
- 16** **Chain Tensioner / Chain Cover**
- 17** **Chainrings & Cog**
- 18** **Spacer / Valve Cap**
- 19** **Front Derailleur Clamp / Chain Catch**
- 20** **Pully / Pully Bolt / Pully Cage**
- 20** **Crank Bolt / Chain Bolt**
- 21** **Tools**
- 22** **Computer Adapter / Pedal**
- 24** **Axle Peg**
- 25** **Chain Guide System / Bottle Cage**

Seat Clamp



CC-051A

■ Diameter 31.8/34.9mm
 ■ Material AL6061T6
 ■ Finish Anodized color
 ■ Height 18mm
 ■ Weight 20.5g(31.8)



CC-053A

■ Diameter 34.9mm
 ■ Material AL6061T6 Forged
 ■ Finish Anodized color
 ■ Height 23mm
 ■ Weight 20.5g(34.9)



CC-054A

■ Diameter 28.6/31.8/34.9mm
 ■ Material AL6061T6 CNC
 ■ Finish Anodized color
 ■ Height 17mm
 ■ Weight 22.4g(31.8)



CC-055A

■ Diameter 28.6/31.8/34.9mm
 ■ Material AL6061T6
 ■ Finish Anodized color
 ■ Height 17mm
 ■ Weight 22.7g(28.6)



CC-055A1

■ Diameter 28.6/31.8/34.9mm
 ■ Material AL6061T6
 ■ Finish Anodized color
 ■ Height 17mm
 ■ Weight 22.7g(28.6)



CC-056A

■ Diameter 28.6/31.8/34.9mm
 ■ Material AL6061T6
 ■ Finish Anodized color
 ■ Height 11mm
 ■ Weight 26.6g(34.9)



CC-057A

■ Diameter 28.6/31.8/34.9mm
 ■ Material AL6061T6 Forged
 ■ Finish Anodized color
 ■ Height 17mm
 ■ Weight 26.6g(34.9)



CC-058A

■ Diameter 31.8/34.9mm
 ■ Material AL6061T6 Forged
 ■ Finish Anodized color
 ■ Height 26mm
 ■ Weight 26.6g(34.9)



CC-059A

■ Diameter 34.9mm
 ■ Material AL6061T6 Full CNC
 ■ Finish Anodized color
 ■ Height 19 mm
 ■ Weight Stainless bolt 21g (34.9)



CC-062A

■ Diameter 31.8/34.9mm
 ■ Material AL7075T6 Full CNC
 ■ Finish Anodized color
 ■ Height 25mm
 ■ Weight Ti bolt 14g Stainless bolt 16g (31.8)



CC-063A

■ Diameter 31.8/34.9mm
 ■ Material AL7075T6 CNC
 ■ Finish Anodized color
 ■ Height 13.5mm
 ■ Weight 12.4g(31.8)



CC-064A

■ Diameter 28.6/31.8/34.9mm
 ■ Material AL6061T6 CNC
 ■ Finish Anodized color
 ■ Height 11mm
 ■ Weight 24.0g(28.6) 17.3g (34.9)



CC-068A

■ Diameter 31.8/34.9mm
 ■ Material AL6061T6 Full CNC
 ■ Finish Anodized color
 ■ Height 11mm
 ■ Weight 17.6g (34.9)



CC-069A

■ Diameter 31.8/34.9/36mm
 ■ Material AL6061T6 Full CNC
 ■ Finish Anodized color
 ■ Height 14mm
 ■ Weight 22g(34.9)



CC-070A

■ Diameter 31.8/34.9/36mm
 ■ Material AL6061T6 Full CNC
 ■ Finish Anodized color
 ■ Height 21mm
 ■ Weight 37g(34.9)



CC-071A

■ Diameter 31.8/34.9/36mm
 ■ Material AL7075T6 Full CNC
 ■ Finish Anodized color
 ■ Height 13mm
 ■ Weight Ti bolt 9.5g Stainless bolt 10.7g

**CC-073A**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 23mm
 ■ **Weight** 31g (28.6)

**CC-075A**

■ **Diameter** 31.8/34.9/36mm
 ■ **Material** AL7075T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 11 mm
 ■ **Weight** Ti bolt 9.5g Stainless bolt 10.7g

**CC-076A**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 12mm
 ■ **Weight** 16.8g

**CC-077A**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 23.5mm
 ■ **Weight** 21g

**CC-310**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 12mm
 ■ **Weight** 22g

**CC-311**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Carbon Sticker
 ■ **Height** 12mm
 ■ **Weight** 22g

**CC-312**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 13.6mm
 ■ **Weight** 24.4g (31.8)

**CC-313**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 23.8g (31.8)

**CC-080A**

■ **Diameter** 34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 14mm
 ■ **Weight** 15.2g

**CC-079A1**

■ **Diameter** 31.8+27.2mm
 31.8+28.6mm/34.9+31.8mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 21mm
 ■ **Weight** 36g (34.9)

**CC-083A**

■ **Diameter** 31.8mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 12mm
 ■ **Weight** 18.4g

**CC-085A**

■ **Diameter** 25.4/28.6mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 25.5mm
 ■ **Weight** 56.6g (31.8)

**CC-090A**

■ **Diameter** 25.4/28.6/31.8mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 31.5 mm
 ■ **Weight** 50.8g (28.6)

**CC-095A**

■ **Diameter** 25.4/28.6/31.8mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 25mm
 ■ **Weight** 52.2g (28.6)

**CC-095B**

■ **Diameter** 25.4mm/28.6mm
 31.8mm/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 14mm
 ■ **Weight** 23.2g (31.8)

**CC-096A**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 25g (31.8)

**CC-321**

■ **Diameter** 34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 22.6g

**CC-322**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 33mm
 ■ **Weight** 31.4g (31.8)

**CC-323**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 24.9g (34.9)

**CC-324**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 22g (34.9)

**CC-205**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 25.8g (31.8)

**CC-205-1**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 25.8g (31.8)

**CC-206**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 22.4g (31.8)

**CC-206C**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** AL+Carbon
 ■ **Height** 16mm
 ■ **Weight** 23g (31.8)

**CC-901A**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL7075T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** Ti bolt 13g Stainless bolt 14.5g

**CC-901C**

■ **Diameter** 31.8/34.9mm
 ■ **Material** Carbon Fiber
 ■ **Finish** Carbon
 ■ **Height** 15mm
 ■ **Weight** 12g

**CC-902A**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 21g (34.9)

**CC-903A**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 21g (34.9)

**CC-207**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 29.6g (34.9)

**CC-212**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 14mm
 ■ **Weight** 32g (34.9)

**CC-306**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 25g (31.8)

**CC-308**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 12.5mm
 ■ **Weight** 22.8g (31.8)

**CC-903B**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 21g (34.9)

**CC-903C**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 21g (34.9)

**CC-7168A**

■ **Diameter** 36.0/31.8/34.9mm
 ■ **Material** AL6066T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 11mm
 ■ **Weight** Ti bolt 9g Stainless bolt 10.3g (34.9)

**CC-7168B**

■ **Diameter** 36.0/31.8/34.9mm
 ■ **Material** AL6066T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 11mm
 ■ **Weight** Ti bolt 9g Stainless bolt 10.3g (34.9)

**CC-300**

■ **Diameter** 25.4/28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 37g(31.8)

**CC-301**

■ **Diameter** 25.4/28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 36.7g(31.8)

**CC-302**

■ **Diameter** 25.4/28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 40g(31.8)

**CC-303**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 16mm
 ■ **Weight** 39.5g(34.9)

**CC-607**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 13.6mm
 ■ **Weight** 54.6g (31.8)

**CC-608**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 13.6mm
 ■ **Weight** 54.6g (31.8)

**CC-609**

■ **Diameter** 28.6/31.8/34.9
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 54g (34.9)

**CC-610**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 38.2g (31.8)

**CC-304**

■ **Diameter** 25.4/28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 26mm
 ■ **Weight** 41g(34.9)

**CC-305**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13.5mm
 ■ **Weight** 37.9g (31.8)

**CC-500**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13.5mm
 ■ **Weight** 40.6g (31.8)

**CC-501**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 44.5g (31.8)

**CC-611**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Lever Forged
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 47g(34.9)

**CC-616**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 43g(34.9)

**CC-617**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Lever NC
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 36.4g (34.9)

**CC-617N**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Lever NC
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 36.4g (34.9)

**CC-502**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 48.2g (31.8)

**CC-503**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 16mm
 ■ **Weight** 44.9g (28.6)

**CC-505**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 52.3g (34.9)

**CC-507**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 48.5g (34.9)

**CC-618**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 42.8g (34.9)

**CC-619**

■ **Diameter** 31.8mm
 ■ **Material** AL6061T6 Lever NC
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 41g (31.8)

**CC-620**

■ **Diameter** 34.9mm
 ■ **Material** AL6061T6 Forged
 ■ **Finish** Anodized color
 ■ **Height** 23mm
 ■ **Weight** Stainless bolt: 30g

**CC-621**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6 FULL CNC Lever Forged
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** Ti bolt: 20.5g Stainless bolt: 24.5g (34.9)

**CC-509**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 25mm
 ■ **Weight** 22g (34.9)

**CC-600**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 40.8g (34.9)

**CC-600C**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Carbon Sticker
 ■ **Height** 13mm
 ■ **Weight** 40g (31.8)

**CC-600N**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 38.4g (34.9)

**CC-622**

■ **Diameter** 31.8/34.9mm
 ■ **Material** AL6061T6 FULL CNC Lever Forged
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** Ti bolt: 19.5g Stainless bolt: 21g (31.8)

**CC-700**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 40.6g(31.8)

**CC-700-1**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 35.6g(31.8)

**CC-700-2**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 Full CNC
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 38g(34.9)

**CC-601**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 49.4g (28.6)

**CC-601N**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 43.4g (31.8)

**CC-602**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 15mm
 ■ **Weight** 45g (34.9)

**CC-605**

■ **Diameter** 31.8mm
 ■ **Material** AL6061T6
 ■ **Finish** Anodized color
 ■ **Height** 13.6mm
 ■ **Weight** 38g (31.8)

**CC-711**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 CNC Lever Forger
 ■ **Finish** Anodized color
 ■ **Height** 13mm
 ■ **Weight** 32g

**CC-715**

■ **Diameter** 31.8/34.9/36mm
 ■ **Material** AL7075T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 13.5mm
 ■ **Weight** 25g(31.8)

**CC-716**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 15.5mm
 ■ **Weight** 34g(34.9)

**CC-717**

■ **Diameter** 28.6/31.8/34.9mm
 ■ **Material** AL6061T6 CNC
 ■ **Finish** Anodized color
 ■ **Height** 16.9mm
 ■ **Weight** 37g (31.8)



CC-718

- Diameter 28.6/31.8/34.9mm
- Material AL6061T6 CNC
- Finish Anodized color
- Height 26mm
- Weight 33.6g (34.9)



CC-719

- Diameter 28.6/31.8/34.9mm
- Material AL6061T6 CNC
- Finish Anodized color
- Height 13mm
- Weight 33.3g (31.8)



CC-722

- Diameter 16mm
- Material AL6061T6
- Height 13mm
- Finish Anodized color



CC-721

- Diameter 28.6/31.8/34.9 mm
- Material AL6061T6 CNC
- Finish Anodized color
- Height 13mm
- Weight 33.3g(31.8)



CC-066A/LED

- Diameter 31.8/34.9/36.0mm
- Material AL7075T6 Full CNC
- Finish Anodized color
- Length 13mm
- LED/Run time 0.04W/90 hours
- Battery Size LR1130
- Weight 34g(34.9)



CC-STOPPER

- Diameter 27.2/31.6mm
- Material AL6061T6
- Finish Anodized color
- Length 9mm
- Weight 7.1g(31.6)



CC-061A/LED

- Diameter 31.8/34.9/36.0mm
- Material AL6061T6 Full CNC
- Finish Anodized color
- Length 13mm
- LED/Run time 0.04W/90 hours
- Battery Size LR1130
- Weight 21.2g(31.8)



CC-061AQR/LED

- Diameter 31.8/34.9/36.0mm
- Material AL6061T6 Full CNC
- Finish Anodized color
- Length 13mm
- LED/Run time 0.04W/90 hours
- Battery Size LR1130
- Weight 32.9g(31.8)

Adjustable seatpost cable guide

- Diameter 28.6/31.8/34.9mm
- Material AL6061T6
- Finish Anodized color
- Height 13mm

CC-315GE



CC-301GE



Handle Bar Cap

- Material AL 6061T6 CNC
- OD 16-20mm
- Fisish Anodized color
- Size 19 mm



CC-HP07

27.5g/PR



CC-HP09

18g/PR

- Id 22.2mm
- Size 28.6mm



CC-HP13



CC-HP12



CC-HP08

- Led 0.04W
- Run time 90 hours
- Battery Size LR1130



CC-HP11

- Length 40mm
- OD 16~20mm
- Size 22.2mm



STEM



CC-DH705

- Diameter
- Bar Bore
- Angle
- Length
- Ext
- Material
- Finish

31.8mm / 35mm

50mm;Angle:0°

50mm

Full CNC-machined AL6061T6

Anodized Color



CC-DH706

31.8mm / 35mm

47/55mm;Angle: 30°

47/55mm

Full CNC-machined AL6061T6

Anodized Color



CC-DH707

28.6mm

31.8mm / 35mm

0°

38mm

50mm

Full CNC-machined AL6061T6

Anodized Color



CC-DH708

- Diameter
- Bar Bore
- Angle
- Length
- Ext
- Material
- Finish

28.6mm

31.8mm / 35mm

0°

35mm

40mm

Full CNC-machined AL6061T6

Anodized Color



CC-RD7810

28.6mm

31.8mm

± 6°

38mm

60-120mm

3D Forged AL6061T6

AL + Carbon



CC-RD7820

28.6mm

± 6°

60/80/100/120mm

AL6061T6 CNC

Anodized Color

SUPER LIGHT



CC-QR701

- Material Lever AL7075T6 CNC
Axle is Ti or Cr-mo
- Length F:M5*112-114mm
R:M5*143/148/153mm
- Weight Ti Bolt 44g



CC-QR702

- Material Lever AL7075T6 CNC
Axle is Titanium
- Length F:M5*112-114mm
R:M5*143/148/153mm
- Weight Ti Bolt 48.6g




CC-QR704

- Material Lever AL6066T6 Forger
Axle is Ti or Cr-mo
- Length F:M5*112-114mm
R:M5*143/151mm
- Weight Ti Bolt 43g/PRS



CC-QR705

- Material Lever AL6066T6 Forger
Axle is Ti or Cr-mo
- Length F:M5*112-114mm
R:M5*143/151mm
- Weight Ti Bolt 43g/PRS



CC-QR706

- Material Lever AL6061T6 Full CNC
Axle is Titanium
- Length F:M5*112-114mm
R:M5*143/148/151mm
- Weight Ti Bolt 48g/PRS



CC-QR707

- Material Lever AL7075T6 CNC
Axle is Ti or Cr-mo
- Length F:M5*112-114mm
R:M5*143/148/153mm
- Weight Ti Bolt 44g



CC-QR803

- Material Lever AL6061T6
Axle is Cr-mo
- Length F:M5*112-114mm
R:M5*143/148/151mm
- Weight 130g/PRS



CC-QR805

- Material Lever AL6061T6
Axle is Cr-mo
- Length F:M5*112-114mm
R:M5*143/148/151mm
- Weight 125g/PRS



CC-QR806

- Material Lever AL6061T6
Axle is Cr-mo
- Length F:M5*112-114mm
R:M5*143/148/151mm
- Weight 105g/PRS



CC-QR808

- Material Lever AL6061T6 Forger
Axle is Cr-mo
- Length F:M5*112-114mm
R:M5*143/151mm
- Weight 120g/PRS



CC-QR812

- Material Lever AL6061T6
Axle is Cr-mo
- Length F:M5*112-114mm
R:M5*143/148/151mm
- Weight 103g/PRS



CC-QR807

- Material Lever AL6061T6 Forged
Axle is Cr-mo
- Length F:M5*112-114mm
R:M5*143/148/151mm
- Weight 123g/PRS



CC-QR811

- Material Lever AL6061T6
Axle is Cr-mo
- Length F:M5*112-114mm
R:M5*143/148/151mm
- Weight 107g/PRS



CC-QR11/12

- Material Lever AL6061T6
Axle is Cr-mo
- Length F:M5*112-114mm
R:M5*153mm
- Weight 97.3g

CC-10

- Material AL6061T6
Axle is Cr-mo
- Diameter M6/M8*45/50/55/60mm
- Weight 33.4g(50mm)



CC-QR16

- Material AL6061T6
Axle is Cr-mo
- Diameter M6/M8*45/50/55/60mm
- Weight 30.4g(45mm)



CC-QR17

- Material AL6061T6
Axle is Cr-mo
- Diameter M6/M8*45/50/55/60mm
- Weight 32.1g



Free Style Hub Nut



CC-HN01

- AL 70705T6
M10*P1.0 or 3/8" x 26T L:15mm
M14*P1.0 L20mm

Bar Ends

■ **Material** Head Dig Casting : AL6061T6 Tube : AL6061T6



Seat Post



CC-109CA



CC-109A



CC-201A



CC-106A

■ Diameter	27.2/30.9/31.6mm	27.2/30.9/31.6mm	27.2mm	25.4/27.2/28.6mm
■ Material	Carbon Fiber With Tibolt	AL7075T6 CNC machined with Tibolt or Cr-mo	AL6061T6 Forged	AL6061T6 Die Casting / Forged
■ Finish	Anodized Color	Anodized Color	Anodized Color	Anodized Color
■ Length	300/350/410mm	350/410mm	300-350mm	300-350mm
■ Weight	27.2mm*300mm-Ti 142.8g	27.2mm*410mm-Ti 164.5g		



CC-106B



CC-106C



CC-106D



CC-102A

■ Diameter	25.4/27.2mm	25.4/27.2mm	25.4/27.2mm	22.2/25.4/26.8/27.2mm
■ Material	AL6061T6 CNC machined/Forged	AL6061T6 CNC machined/Forged	AL6061T6 CNC machined/Forged	AL6061T6
■ Finish	Anodized Color	Anodized Color	Anodized Color	Anodized Color
■ Length	300-350mm	300-350mm	300-350mm	200/250/300/350mm



CC-105A



CC-105C



CC-106AC



CC-110A



CC-SLEEVE



CC-SHIM

■ Diameter	25.4/27.2/28.6mm	25.4/27.2/28.6mm	25.4/27.2/28.6mm	25.4mm	As Order	As Order
■ Material	AL6061T6	AL6061T6	AL6061T6 Die Casting / Forged	AL6061T6 Die Casting / Forged	AL6061T6	AL6061T6
■ Finish	Anodized Color	Carbon Sticker	Carbon Sticker	Anodized Color	As Order	As Order
■ Length	300-350mm	300-350mm	300-350mm	200-350mm	As Order	As Order



CC-101C



CC-101CT



CC-101CT-1



CC-101CT-2



CC-103C



CC-103CT



CC-101D



CC-101DT

■ Diameter	22.2mm	22.2mm	22.2mm	22.2mm	25.4mm	25.4mm	22.2mm	22.2mm
■ Material	AL6061T6	AL6061T6 CNC	AL6061T6 CNC	AL6061T6 CNC	AL6061T6	AL6061T6	AL6061T6	AL6061T6 CNC
■ Finish	Anodized Color	Anodized Color	Anodized Color	Anodized Color	Anodized Color	Anodized Color	Anodized Color	Anodized Color
■ Length	300-500mm	400-500mm	400-500mm	400-500mm	350-500mm	400-500mm	300-500mm	400-500mm



CC-101DT-1



CC-101A



CC-101AT



CC-101B



CC-101B-1



CC-101B-2



CC-103A



CC-103B

■ Diameter	22.2mm	22.2mm	22.2mm	22.2mm	22.2mm	22.2mm	25.4mm	25.4mm
■ Material	AL6061T6	AL6061T6	AL6061T6 CNC	AL6061T6 CNC	AL6061T6 CNC	AL6061T6 CNC	AL6061T6	AL6061T6 CNC
■ Finish	Anodized Color	Anodized Color	Anodized Color	Anodized Color	Anodized Color	Anodized Color	Anodized Color	Anodized Color
■ Length	400-500mm	300-500mm	300-500mm	400-500mm	400-500mm	400-500mm	300-500mm	400-500mm

Star Nut

- Material AL6061T6
- Finish Anodized Color
- Size 1"/1-1/8"
- Bolt Stainless or Cr-mo

CC-SP01A



CC-SP02C
Carbon Fiber 7.8g



CC-SP01
26g



CC-SP02
Carbon 27g



CC-SP10
M10 x P1.25



CC-SP03
18 / 32 / 52
41g



CC-SP04
18 / 32 / 52
Cap Carbon
45.5g



CC-SP13
21g



CC-SP15
26.5g



CC-SP17
24g



CC-SP14
36g



CC-SP16
18 / 32 / 52
41.5g(18mm)



CC-SP19
26g



CC-SP23
OD: 32 / 34 / 46
22g(34mm)



CC-SP23C
OD: 32 / 34 / 46



CC-SP18
50.5g



CC-SP20
50g(32mm)



CC-SP23-32
OD: 32 / 34 / 46
25g(34mm)



CC-SP25
25g



CC-SP24
18 / 32 / 52
39.5g(18mm)



CC-SP24-32
18 / 32 / 52



CC-SP26
18 / 32 / 52



CC-SP2006
OD: 36mm
Size: 22mm
M14 Cr-mo bolt



CC-SP30
Material Alloy 7075T6

Alloy Plug

- Material AL6061T6
- Finish Anodized Color
- OD 22-26mm
- Length 18/32/52
- Bolt Stainless or Cr-mo



CC-RH701AC

- Center 31.8mm
- Material AL6061T6 DB+ Carbon
- Width 400 / 420 / 440mm
- Weight 315g



CC-RH3KAC

- Center 31.8mm
- Material AL6061T6 TRI-BUTTED
- Width 400 / 420 / 440mm
- Weight 300g



CC-08

- Center 22.2mm
- Width 190 To 310mm
- Material AL 6061T6
- Finish Anodized Color



CC-09

- Center 22.2mm
- Width 190 To 310 mm
- Material Steel
- Finish Anodized Color



CC-09-1

- Center 22.2mm
- Width 190 To 310mm
- Material AL 6061T6
- Finish Anodized Color

DOWNHILL/FREERIDE/XC SERIES



CC-MTB215A FOR XC LOW-RIZER BAR

- | | |
|---|---|
| <ul style="list-style-type: none"> ■ Material AL6061T6 BUTTED ■ Center 25.4mm ■ Rise 18° ■ Width 620 / 640mm ■ Bend 6° ■ Upsweep 3° ■ Weight 280g(620mm) | <ul style="list-style-type: none"> ■ Material AL6061T6 BUTTED ■ Center 31.8mm ■ Rise 20° ■ Width 630 / 660mm ■ Bend 6° ■ Upsweep 3° ■ Weight 270g(630mm) |
|---|---|



CC-MTB200AC FOR XC Carbon BAR

- Material AL6061T6 DB+ Carbon
- Center 25.4 / 31.8mm
- Rise 20°
- Width 620 / 660mm
- Weight 175g(25.4x620mm)
205g(31.8x620mm)



CC-MTB200C FOR XC Full Carbon BAR

- Material Full Carbon
- Center 25.4 / 31.8mm
- Rise 20°
- Width 700mm
- Bend 9°
- Weight 170g

Stem adjuster



CC-ST2

- Material AL6061T6
- Base dia 28.6mm
- Height 100
- 8mm spacer*1

CC-STH1

- Material AL6061T6
- Base dia 28.6mm
- Height 117
- 8mm spacer*1
- 5mm spacer*4



Chain Tensioner



CC-CA02
Material AL 6061T6
OD 10mm
Finish Anodized Color



CC-CA04
Material AL6061T6
OD 10mm or 14mm
Finish Anodized Color



CC-CA05
Material AL6061T6
OD 10mm or 14mm
Finish Anodized Color



CC-FH01
ID:28.6MM
length 34MM
Material Alloy6061T6
Finish Anodized Color



CC-FH02
ID:25.4/28.6MM
Material Alloy6061T6
Finish Anodized Color



CC-CAB01
AL6061T6
0.6g



CC-414E PVC Guide
Material PVC
Finish BLACK
M4 & M5 Bolt



CC-VT90
Material ALLOY OR STAINLESS
RISE 90°



CC-VT130
Material ALLOY OR STAINLESS
RISE 135°

CC-VT01
Material STAINLESS
INFINITE AND EASY
ADJUSTABLE

Chain Cover

Material Alloy 6061T6
Finish Anodized Color



CC-CG03B
Alloy CNC Guard
THICKNESS 3mm
Guard for BCD 110mm



CC-CG04B
Alloy CNC Guard
THICKNESS 3mm
For BCD 130mm



CC-CG05B 32T-34T
Alloy CNC Guard
THICKNESS 4mm
For BCD 104mm

Chainring

Material Full CNC AL7075 / AL6061 **Thickness** 5mm / 6mm
Available teeth 23T-39T



CC-ST01




CC-ST03



CC-ST12



CC-ST13



CC-CH 36T-53T
THICKNESS 4mm
BCD 104mm
For Single speed



CC-CHA 36T-53T
THICKNESS 4mm
BCD 130mm
For Single speed



CC-FR01
THICKNESS 6mm
AVAILABLE TEETH
16T~19T
BC:1.37-24TP



CC-FR02
THICKNESS 5mm
AVAILABLE TEETH
16T~19T
BC:1.37-24TP




CC-FS30T
Front Chainwheel
Narrow wide tooth
Alloy 7075T6 CNC
Thickness 8MM
For BCD 104mm

**CC-RS42T 40T / 42T
+STEEL 16T**
RearSprockets
Alloy 7075T6 CNC
Thickness 4MM
Fits shimano Only



CC-FS32T 32T-38T
Front Chainwheel
Narrow wide tooth
Alloy 7075T6 CNC
Thickness 4MM
For BCD 104mm



Spacer

Alloy Spacer

■ Diameter 25.6/28.8mm ■ Material AL6061T6
■ Lenght 2/3/5/8/10/15/20mm ■ Finish Anodized Color



Carbon Spacer



Front Derailleur Clamp

■ Diameter 31.8 / 34.9mm ■ Material AL 6061T6 CNC ■ Finish Anodized color



BB Type	BB Shell Width	Dimension between BB Center & M6 Center
Threaded	68MM	8
	73MM	10.5
	83MM	8
pressfit	89.5MM	18.75
	92MM	21.25

Valve Cap

■ Material
■ Finish



Chain Catch



Compatibility Chart:

Crank	Manufacturer	K-Edge Dirt Triple Compatibility
XTR FC-M970	Shimano	K13-201
XTR FC-M960	Shimano	K13-201
XT FC-M760	Shimano	K13-201
SLX FC-M660	Shimano	K13-201
Deore FC-M540	Shimano	K13-201
Hone FC-M600	Shimano	K13-201
Deore FC-M580	Shimano	K13-201
Saint FC-M800	Shimano	K13-201
Next Carbon XC	Race Face	K13-201

10T/11T/16T

Material Alloy 7075T6 CNC **Finish** Anodized Color



CC-RD11 9.5g



CC-RD12 9g



CC-RD13 11.2g



CC-RD13-1
M4 Bolt



CC-RD14 14.5g



CC-RD15
Alloy




CC-RD15-PO
Plastic



CC-RD16
only 10T



CC-RD17



CC-RD18

Pully Bolt



CC-PB01
AL7075T6
M5x15

Pully Cage

CC-PC01 For Road
Pulley 16T/11T Combination
Material Alloy 7075T6
Finish Anodized Color
Bearings Japanese or Ceramic



Crank Bolt



CC-CHB01
For SHIMANO Road
■ **Material** AL7075T6
■ **Length** M20 24.7X10.7L
■ **Finish** Anodized Color



CC-CHB02
For SRAM MTB
■ **Material** AL7075T6
■ **Length** M15 25.8X12.8Lmm
■ **Finish** Anodized Color



CC-CHB01-1
For SHIMANO Road
■ **Material** AL7075T6
■ **Length** M20 24.7X10.7Lmm
■ **Finish** Anodized Color

Chain Bolt



CC-CKB01
■ **Material** AL7075T6
■ **Length** M8-0.75X6.5L For Road
M8-0.75X8.5L For MTB
■ **Finish** Anodized Color



CC-CKB02
■ **Material** AL7075T6
■ **Length** M8-0.75X6.5L For Road
M8-0.75X8.5L For MTB
■ **Finish** Anodized Color



CC-CKB03
■ **Material** AL7075T6
■ **Length** M8x0.75x10L For SRAM
M10x0.75x6.0L For SRAM
■ **Finish** Anodized Color



CC-CKB04
■ **Material** AL7075T6
■ **Length** M8x0.75x6.5L For Road
M8x0.75x8.5L For MTB
■ **Finish** Anodized Color

CC-MT112



CC-MT101K



CC-MT111



CC-MT300 Super Mini



CC-MT300CA



CC-MT204



NEW CC-MT502



NEW CC-MT501




CC-MT407



CC-0XV330A



Computer Adapter



AXLE PEG



CC-F015



CC-F016



CC-F018



CC-F020



CC-F022

Material	AL 6061T6	AL 6061T6	AL 6061T6	AL 6061T6	AL 6061T6
Diameter(mm)	Ø 24	Ø 28	Ø 19	Ø 25	Ø 38, Ø 50
Length(mm)	75	100	65	75	110
Thread(mm)	3/8" x 26T or M10 x 1.25	3/8" x 26T or M10 x 1.25	3/8"x26T or M10x1.25	3/8"x26T or M10x1.25	3/8" x 26T or M10 x 1.25
Finish	Anodized Color	Anodized Color	Anodized Color	Anodized Color	Anodized Color



CC-F025



CC-F026



CC-F030



CC-F031



CC-F032

Material	AL 6061T6	Steel	AL 6061T6	AL 6061T6	AL 6061T6
Diameter(mm)	Ø 19	Ø 38	Ø 38, Ø 50	Ø 38, Ø 50	Ø32, Ø38, Ø50
Length(mm)	70	110	110	110	110
Thread(mm)	3/8" x 26T or M10 x 1.25	3/8" x 26T or 14	3/8"x26T or M10x1.25	3/8"x26T or M10x1.25	3/8"x26T or M10x1.25
Finish	Anodized Color	CP or ED (black)	Anodized Color or Steel	Anodized Color or Steel	Anodized Color or Steel



CC-F035



CC-F038



CC-F040



CC-F041

Material	AL 6061T6	Steel	Steel	AL 6061T6
Diameter(mm)	Ø 32	Ø 38	Ø 38	Ø 38
Length(mm)	110	110	110	110
Thread(mm)	3/8"x26T or M10x1.25	3/8" x 26T or 14	3/8" x 26T or 14	3/8" x 26T or M10 x 1.25
Finish	Anodized Color	CP or ED	CP or ED	Anodized Color



CC-S102

Material Steel
Finish CP or BK

Chain Guide System



CC-VCT11

Vertical Chain Tensioner
Material AL 6061T6
finish Anodized Color



CC-VCT12

Vertical Chain Tensioner
Material AL 6061T6
finish Anodized Color



CC-CG01

Material AL 6061T6

CC-CHD01

HANGER FOR DERAILLEUR
Material AL6061T6
finish Anodized Color



CC-VCT21

Vertical Chain Tensioner /Dual Cog Version
Material Alloy 6061T6
finish Anodized Color



Bottle Cage

■ **Material**



CC-BC01

■ **Weight** 27.4g



CC-BC03

■ **Weight** 27.5g



CC-BC15

■ **Weight** 26g



CC-BC17

■ **Weight** 8g



CC-BC18

■ **Weight** 23.0g



CC-BC20

■ **Weight** 23g